





DETAIL



EXAMPLE OF LAYOUT



4 Utrecht in parallel

CERVIC environment

UTRECHT Bike rack

- Single bike rack which can be accessed on both sides.
- Made of 5 mm steel with a thermo-heating polyester powder coated finish.
- Designed to secure the bicycle wheel with a chain or similar.
- Can be fixed to the gound with 2 M8 expanding bolts (included).
- It is also availabe in stainless steel.
- Guaranteed reliability: this product has satisfactorily exceeded functionality and endurance tests under real environmental and usage conditions.



CERVIC environment

UTRECHT Bike rack

In order to process your order, we require you to complete the following detailed reference.



CODE FOR VERSION

Code		Description	Colour	Material
1	2	Utrecht Bike rack		Galvanized Steel
2	2	*Utrecht Bike rack in stainless steel		304 Brushed Stainless Steel
*MOQ require	d.			

PACKAGING AND LOGISTIC DETAILS

Packaging details without pallet

Description	u. / package	Type of packagin	ng Wei	ight	Volume	Package mm* Length Width Height				
Utrecht Bike rack	8	cardboard box	35,5	ō kg	0,131 m ³	820	450	355		
	1	1	I	I		I				
[H									
Packaging details with pallet										
Description	u. / pallet	Type of nackaging L	Pallet dim Length W		ns mm* Height	Pallet weight	Volu	ume		
Utrecht Bike rack	112	cardboard box	1200 1	1000	1980	508 kg	2,34	l m³		
ATT 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							1			

*The logistic could be changed in case of the loading of different products in the same pallet. In case of full containers, trailers or trucks, ask for logistic optimization.



UTRECHT Bike rack



Single bike rack

Materials

- Bike rack: steel

- Bike rack in stainless steel: 304 brushed stainless steel

Weight

- 4,4 kg

Finish

- Steel Version: special treatment with anticorrosive primer rich in zinc and thermo-heating polyester powder coating.

Anchorage

- 2 M8 expanding bolts (included).





