



Málaga Planter  
Oxiron



**Colors**  
corten effect    oxiron



**160L**




**20kg**

**240L**




**26kg**

**400L**



**35kg**

**570L**



**45kg**



## CAPACITIES



**570L**



**400L**



**240L**











**160L**

- Cylindrical planter, available in different diameters and heights.
- Four capacities:
  - Diameter 580mm: height 620mm (160L)
  - Diameter 580mm: height 910mm (240L)
  - Diameter 900mm: height 620mm (400L)
  - Diameter 900mm: height 910mm (570L)
- Two finishing options: Corten Effect or Oxiron Grey
- Height adjustable and articulated feet.
- Incorporates drainage holes on the base.
- Made of 1'5, 2 and 3 mm galvanized steel and it includes a thermo-heating polyester powder coated finish.
- Suitable to be used indoor and outdoor under normal weather conditions. In case of extreme weather conditions, such as high salinity, temperature or humidity, an additional special treatment can be included. Check extra cost and MOQ.



To process all your order, you must choose the corresponding model code.

### MODEL CODE





OXIRON		
	Code	Description
	MPCU5441	Malaga Planter cylindrical oxiron grey 570L
	MPCU5421	Malaga Planter cylindrical oxiron grey 400L
	MPCU5431	Malaga Planter cylindrical oxiron grey 240L
	MPCU5411	Malaga Planter cylindrical oxiron grey 160L
CORTEN EFFECT		
	Code	Description
	MPCU5442	Malaga Planter cylindrical corten effect 570L
	MPCU5422	Malaga Planter cylindrical corten effect 400L
	MPCU5432	Malaga Planter cylindrical corten effect 240L
	MPCU5412	Malaga Planter cylindrical corten effect 160L

### EXTRA FINISHES (TO IMPROVE CORROSION RESISTANCE)

Reference	Extra Finishes	Description
<b>XT</b>	*Extreme finishing	Additional Extreme Treatment Anticorrosive Primer Zinc Rich (for products made from galvanized steel) That meets the requirements of a corrosion class C5 I according to DIN EN ISO 12944

\*Depends on request. MOQ required


### CUSTOMIZATION

Reference		Description	Dimensions mm	Standard Shape	Material
PER001		Customization V. Type 1 (100x100mm)	(máx.) 100 x 100		Vinyl
PER019		*Customization P. Type 19 (100x100mm)	(máx.) 100 x 100		Printed aluminum

\*MOQ required.

## PACKAGING-LOGISTIC DETAILS

### Packaging details with pallet



Description	u. / pallet	Type of Packing	Pallet dimensions mm*			Pallet Weight	Volume
			Large	Width	Heigh		
Malaga Planter 160 liters	6	shrink wrapped	1200	1000	1710	105 kg	1,94 m <sup>3</sup>
Malaga Planter 240 liters	3	shrink wrapped	1200	1000	1830	119 kg	2,43 m <sup>3</sup>
Malaga Planter 400 liters	4	shrink wrapped	1200	800	1750	120 kg	1,90 m <sup>3</sup>
Malaga Planter 570 liters	2	shrink wrapped	1200	1000	1830	135 kg	2,37 m <sup>3</sup>

\*Could be changed to make easy the logistic optimization in case of mixed items  
Ask for logistic optimization for full containers, trailers or trucks